



WALL · RITTENHOUSE SQUARE™



daltile®

# WALL · RITTENHOUSE SQUARE™



*wall · countertop*

Just like the famous Philadelphia park, there is no question this collection is simply timeless. Classic colors inspired by the landmark's 17th-century history make for a collection of long-established and stylish looks perfect for creating a timeless, elegant look in your space.



Photo features Rittenhouse Square Architectural Gray and Almond in 3" x 6" field tile in a vertical brickwork pattern.

# WALL RITTENHOUSE SQUARE™

## *Semi-Gloss Field/Accent Tile*



ARCTIC WHITE 0190  
◆ ■ ■ ■



WHITE 0100  
◆ ■ ■ ■



WHITE K101  
◆ ■



BISCUIT K175  
■



ALMOND 0135  
◆ ■ ■ ■




ALMOND K165  
◆ ■



URBAN PUTTY 0161




DESERT GRAY X114



ARCHITECTURAL GRAY 0109



ELEMENTAL TAN 0166



ARTISAN BROWN 0144



CITYLINE KOHL 0171



BLACK K111  
◆ ■


All colors available in 3" x 6".

◆ Harlequin available

■ Brick-joint available

■ Shelf Rail available


*Matte Field/Accent Tile*




MATTE ARCTIC WHITE 0790



MATTE BISCUIT K775



MATTE ALMOND X735



MATTE ARCHITECTURAL GRAY 0709



MATTE URBAN PUTTY 0761




MATTE ELEMENTAL TAN 0766



MATTE ARTISAN BROWN 0744



MATTE CITYLINE KOHL 0771



MATTE DESERT GRAY X714




MATTE BLACK K711


*Made-to-Order Colors*



UPTOWN TAUPE 0132



CRISP LINEN 0139



CORN SILK 0160



LUMINARY GOLD 0142



GOLD COAST 0191



SUNFLOWER DH50



MISTY MEADOW 0112



GARDEN SPOT 0141



MINT ICE 0152



CYPRESS 1452



OAK MOSS 0195



SPA 0148



WATERFALL 0169



COBALT DM14



GALAXY 1469



NAVY K189




ICE GREY K176



SUEDE GREY 0182



AQUA GLOW 0197



MATTE CRISP LINEN 0739



MATTE UPTOWN TAUPE 0732

# CREATIVE IDEAS

## *Decorative Accents*



WHITE K101 WAVE ★



WHITE K101 CLASSIC ★



ALMOND K165 WAVE ★




ALMOND K165 CLASSIC ★



TRANSLUCENT ALMOND RT01 WAVE



TRANSLUCENT ALMOND RT01 CLASSIC



WHITE K101 SHELF RAIL ■




ALMOND K165 SHELF RAIL ■


★ Also available in White 0100 and Almond 0135 colors

■ Also available in Arctic White 0190, White 0100, Biscuit K175, Almond 0135, and Black K111


## *Pattern Ideas*




BRICK JOINT PATTERN



GRID PATTERN



GRID PATTERN WITH ACCENT



HARLEQUIN

# WALL RITTENHOUSE SQUARE™

## SIZES

NOMINAL	ACTUAL	SQ. FT. CARTON	PIECES PER CARTON
3" x 6" Field Tile	3" x 6" (7.6 cm x 15.2 cm)	12.50	100
3" x 6" Harlequin	3" x 6" (7.6 cm x 15.2 cm)	5.25	84
3" x 6" Wave Accent	3" x 6" (7.6 cm x 15.2 cm)	N/A	18
3" x 6" Classic Accent	3" x 6" (7.6 cm x 15.2 cm)	N/A	16
2" x 6" Shelf Rail	2-3/16" x 6" (5.5 cm x 15.2 cm)	N/A	20
2" x 4" Brick-joint	2" x 4" (5.397 cm x 10.79 cm)	11.43	9 sheets

## RESIDENTIAL

### RESIDENTIAL USAGE

FLOOR	WALL	COUNTERTOPS	EXTERIOR PATIOS	EXTERIOR POOL DECKS
F*	W**	C***		

\* Matte suitable for residential bathroom floors not subject to outside foot traffic

\*\* Suitable for exterior walls in non-freezing climates only

\*\*\* Darker colors may show scratches

## COMMERCIAL

### COMMERCIAL APPLICATION

	LIGHT COMMERCIAL	COMMERCIAL	COMMERCIAL EXTERIORS▲
Floors			
Walls/Backsplashes	◆	◆	◆
Counters♦	◆	◆	
Pool Decking			
Pool Linings	◆	◆	◆

Suitable for exterior walls in freezing and non-freezing climates when proper installation methods are followed.

▲ Non-freezing climates only.

◆ Darker colors may show scratches.

## NOTES

Since there are variations in all fired ceramic products, the tile and trim supplied for your particular installation may not match these samples. Final color selection should be made from actual tiles and trim and not from tile and trim samples or color reproductions. Manufactured in accordance with ANSI A137.1 standards.

Natural lighting, wall-washed lighting and tile installed at different planes may impact color tonality.

For additional information refer to "Factors to Consider" at: [www.daltile.com/CommercialFactors](http://www.daltile.com/CommercialFactors)

Water, oil, grease etc. create slippery conditions. Floor applications with exposure to these conditions require extra caution in product selection. Not for use on ramps.

## TRIM

TYPE	SIZE	PIECES PER CARTON
Bullnose S-4369	3" x 6"	100
Cove Base S-4639	3" x 6"	100
Corner SCR-L-4369	3" x 6"	100
Cove Base A-3361	3" x 6"	36
Corner SCR-L-3361	3" x 6"	36

## SHADE VARIATION



### LOW (V0)

Monochromatic; consistent color within each tile, and from tile to tile.

## INSTALLATION

THICKNESS	GROUT JOINT RECOMMENDATION
5/16"	1/16"

## SLIP RESISTANCE (WET) : I

The higher the rating, the higher the slip resistance.

1 < .50 (Matte only)

2 .50 - .59

3 ≥ .60

## TEST RESULTS

	ASTM#	RESULT
Water Absorption	C373	< 20%
Breaking Strength	C648	100 - 230 lbs
Scratch Resistance	MOHS	4.0 - 6.5
Chemical Resistance	C650	Resistant
Coefficient of Friction	C1028	Wet: < 0.50 Dry: ≥ 0.80 (Matte only)

# WALL | RITTENHOUSE SQUARE™



wall • countertop



**daltile**  
**greenworks**  
ENVIRONMENTAL LEADERSHIP THAT WORKS

By their very design, Daltile products can help make it easier for you to earn LEED™ points and/or points towards many industry leading green home building programs. From using recycled material content to establishing manufacturing facilities within 500 miles of your project, we help ensure you don't have to compromise your design to be environmentally conscious. For detailed information, visit [daltilegreenworks.com](http://daltilegreenworks.com).



RECYCLED  
MATERIALS



Printed using soy inks.

7834 C. F. Hawn Freeway | Dallas, TX 75217 | 214.398.1411 800.933.TILE  
For more information about Daltile products and services, visit our website at [daltileproducts.com](http://daltileproducts.com)



©2009 DalTile Corporation (11/09) SSDTRITSQ09